




FITTING INSTRUCTIONS FOR AR0038



THIS KIT CONTAINS THE ITEMS PICTURED AND LABELLED OVER PAGE.

SOME PARTS MAY BE SHOWN FOR CLARITY OF INSTRUCTIONS ONLY.

DO NOT PROCEED UNTIL YOU ARE SURE ALL PARTS ARE PRESENT.

PLEASE READ ALL INSTRUCTIONS BEFORE PROCEEDING.

**IF IN ANY DOUBT WHEN FITTING OUR PRODUCTS, CONSULT ONE OF OUR DEALERS
OR HAVE FITTED BY A QUALIFIED TECHNICIAN.**

PLEASE NOTE THAT THE WAY THE KIT IS PACKED DOES NOT NECESSARILY REPRESENT THE WAY OF
MOUNTING TO THE BIKE.

IN THE EVENT OF RUBBER WASHERS BEING USED TO HOLD COMPONENTS ONTO BOLTS,
THESE RUBBER WASHERS CAN BE THROWN AWAY.




<u>TOOLS REQUIRED</u>	<u>GENERAL TORQUE SETTINGS</u>
4mm & 5mm A/F ALLEN TOOL 10mm SPANNER - SOCKET SET - LOCTITE BLUE 242	M4 BOLT = 8Nm M5 BOLT = 12Nm M6 BOLT = 15Nm M8 BOLT = 20Nm M10 BOLT = 40Nm M12 BOLT = 40Nm

LEGEND

ITEM NO.	DESCRIPTION	QTY
ITEM 1	ADVENTURE RACK PLATE (SMW0226)	1
ITEM 2	ADAPTOR BRACKET LHS (M0848)	1
ITEM 3	ADAPTOR BRACKET RHS (M0849)	1
ITEM 4	12mm SPACER (S1669)	4
ITEM 5	M6 x 30mm BOLTS	4
ITEM 6	M6 WASHER	4
ITEM 7	M6 NUT	4
ITEM 8	M8 x 12mm COUNTERSUNK BOLTS	4

EXPLODED ASSEMBLY VIEW





FITTING PICTURE



FITTING INSTRUCTIONS

- Loosely bolt the adaptor plates (**Items 2 & 3**) and Spacers (**Item 4**) to the OE rack (4x holes) using the M6 button head bolts (**Item 5**), M6 Washers (**Item 6**) and M6 Nuts (**Item 7**) as shown in the Assembly Diagram and Fitting Picture. It is a good idea to apply a drop of Loctite 242 to the bolts before installation in order to prevent them from coming loose due to vibration.
- Only tighten the 2x front bolts at this stage.
- Place the rack plate (**Item 1**) on top of the brackets and secure to the brackets with 2x of the M8 countersunk bolts (**Item 6**) in the front 2 holes (circled in the Fitting Picture).
- Ensure that the rear 2 plate mounts are lined up with the mounting holes in the plate and thread the remaining M8 countersunk bolts into place, then tighten the 2x remaining M6 bolts that are visible through the plate.
- Ensure all bolts are tightened to the specification shown on page 2. Regularly check all bolts before riding.

PLEASE NOTE:

- To fit a SHAD Terra topbox to the rack you will need R&G kit ARSHAD0001
- GIVI Trekker Outback topbox requires SW-Motech part no. GPT.00.152.35400/B
- SW-Motech TRAX ION/ADV/EVO requires SW-Motech part no. GPT.00.152.35100/B

R&G Adventure Rack load capacity 10KG. Always check your motorcycles manufacturers guidelines before carrying any load.

ISSUE 1 – 03/10/2025 (MH)

**CONSUMER NOTICE**


The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorised (if not pre-authorised the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.



NOTICE DE MONTAGE AR0038



CE KIT CONTIENT LES ARTICLES ILLUSTRÉS ET ÉTIQUETES SUR LA PAGE.

CERTAINES PARTIES PEUVENT ÊTRE PRÉSENTES UNIQUEMENT POUR LA CLARTÉ DES INSTRUCTIONS.

NE PAS PROCÉDER AU MONTAGE TANT QUE VOUS N'ÊTES PAS SÛR QUE TOUTES LES PIÈCES SOIENT PRÉSENTES.

VEUILLEZ LIRE TOUTES LES INSTRUCTIONS AVANT DE CONTINUER.

**EN CAS DE DOUTE LORS DU MONTAGE DE NOS PRODUITS, CONSULTEZ UN DE NOS
REVENDEURS OU FAITES APPEL À UN TECHNICIEN QUALIFIÉ.**

VEUILLEZ NOTER QUE LA FAÇON DONT LE KIT EST EMBALLÉ NE REPRÉSENTE PAS NECESSAIREMENT LA MANIÈRE DE LE
MONTER SUR LA MOTO. _

SI DES RONDELLES EN CAOUTCHOUC SONT UTILISÉES POUR MAINTENIR LES COMPOSANTS SUR LES BOULONS, ELLES
PEUVENT ÊTRE JETÉES.

NOTICE DISPONIBLE AU TÉLÉCHARGEMENT SUR :
WWW.RG-RACING.COM

Racing Technique Ltd T/A R&G
Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ
Tel: +44 (0)1420 89007 www.rg-racing.com Email: info@rg-racing.com



<u>OUTILS REQUIS</u>	<u>VALEURS DE SERRAGE</u>
• CLÉ ALLEN 4mm & 5mm • CLÉ À MOLETTE 10mm • CLÉ À CLIQUET • COLLE LOCTITE BLUE 242	M4 BOULON = 8Nm M5 BOULON = 12Nm M6 BOULON = 15Nm M8 BOULON = 20Nm M10 BOULON = 40Nm M12 BOULON = 40Nm

LÉGENDE

ARTICLE NO.	DESCRIPTION	QTÉ
ARTICLE 1	PLAQUE DE RACK AVENTURE (SMW0226)	1
ARTICLE 2	SUPPORT ADAPTATEUR CÔTÉ GAUCHE (M0848)	1
ARTICLE 3	SUPPORT ADAPTATEUR CÔTÉ DROIT (M0849)	1
ARTICLE 4	12mm ENTRETOISE (S1669)	4
ARTICLE 5	M6 x 30mm BOULONS	4
ARTICLE 6	M6 RONDELLE	4
ARTICLE 7	M6 ÉCROU	4
ARTICLE 8	M8 x 12mm BOULONS	4

VUE D'ENSEMBLE






PHOTO DE MONTAGE



NOTICE DE MONTAGE

- Vissez légèrement les plaques d'adaptation (articles 2 et 3) et les entretoises (article 4) sur la crémaillère d'origine (4 trous) à l'aide des boulons à tête bombée M6 (article 5), des rondelles M6 (article 6) et des écrous M6 (article 7), comme indiqué sur le schéma de montage et la photo de montage. Il est conseillé d'appliquer une goutte de Loctite 242 sur les boulons avant l'installation afin d'éviter tout desserrage dû aux vibrations.
- Ne serrez que les deux boulons avant à ce stade.
- Placez la plaque de crémaillère (article 1) sur les supports et fixez-la à ces derniers avec deux boulons à tête fraisée M8 (article 6) dans les deux trous avant (entourés sur la photo de montage).
- Assurez-vous que les deux supports arrière de la plaque soient alignés avec les trous de fixation de la plaque, vissez les boulons à tête fraisée M8 restants, puis serrez les deux boulons M6 restants visibles à travers la plaque.
- Assurez-vous que tous les boulons soient serrés conformément aux spécifications indiquées à la page 2. Vérifiez régulièrement tous les boulons avant de rouler.

NOTE :

- Pour installer un topbox SHAD Terra sur le rack, vous aurez besoin du kit R&G ARSHAD0001
- Le topcase GIVI Trekker Outback nécessite la référence SW-Motech GPT.00.152.35400/B
- SW-Motech TRAX ION/ADV/EVO nécessite la référence SW-Motech GPT.00.152.35100/B

Porte-bagages Adventure R&G : capacité de charge de 10 kg. Consultez toujours les instructions du fabricant de votre moto avant de transporter une charge.

ISSUE 1 – 03/10/2025 (MH)

**CONSUMER NOTICE**

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorised (if not pre-authorised the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.

Racing Technique Ltd T/A R&G

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ

Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 www.rg-racing.com Email: info@rg-racing.com